



### TECHNICAL INFORMATION

#### DESCRIPTION AND APPLICATION

Industrial hydraulic oil formulated from mineral bases with a complete set of extreme pressure additives (EP), which gives it unique characteristics. Special oil for hydraulic circuits and hydrostatic systems, especially indicated for use in agricultural and livestock facilities.

#### PROPERTIES

- Good anti-rust properties
- Excellent anti-wear properties for extreme pressure work.
- Prevents rusting in working conditions with the presence of air, water and certain metals.
- Small amounts of water entering the hydraulic system through condensation, caused by the system breathing, can form highly viscous emulsions, which can damage the system. This lubricant prevents the formation of undesirable emulsions.

#### SPECIFICATIONS

DIN 51524 parte II  
DENISON HF-0,  
VICKERS M 2952-S (35VQ25 PUMP)  
CINCINNATI P-69(ISO-68)

#### TYPE ANALYSIS

PARAMETERS	UNITS	VALUE
Color	-	Amber
Density at 15°C	g/cc	0,855
Viscosity at 40°C	cSt	61,2 - 74,8
Viscosity index	-	>95
Pour point	°C	<-9
Flash point	°C	>200

The characteristics mentioned represent typical values.

#### STORAGE CONDITIONS AND EXPIRATION

The product does not require special storage measures.

As general storage conditions, heat sources, radiation, electricity and contact with food should be avoided.

Store closed containers between 5 and 35°C, in a dry and well-ventilated place.

Best before date: 2 years.



#### PACKAGING

1 L  
5 L  
20 L  
50 L

Edition 1 Date: 10/03/2026

Page 1

This information is given as a guide and does not imply contractual liability. The technical data are average values and are subject to the usual fluctuations in production, and do not constitute a product specification. Before using the product, it is recommended to read the information contained on the packaging.

Quimiberica S.A. products are covered by a legal guarantee (Guarantee Law) against lack of conformity under the provisions of the General Law for the Defence of Consumers and Users (Royal Legislative Decree 21/2007) provided that the storage conditions specified in this technical data sheet are met. This technical data sheet specifies the duration of said product guarantee.

# QUIMIBERICA, S.A.

## BROOK'S VACUUM PUMP OIL



BROOK'S

### TECHNICAL INFORMATION

#### PRODUCT SAFETY

The product is not classified as hazardous within the meaning of Regulation (EC) No 1272/2008.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

Edition 1 Date: 10/03/2026

Page 2

This information is given as a guide and does not imply contractual liability. The technical data are average values and are subject to the usual fluctuations in production, and do not constitute a product specification. Before using the product, it is recommended to read the information contained on the packaging.

Quimiberica S.A. products are covered by a legal guarantee (Guarantee Law) against lack of conformity under the provisions of the General Law for the Defence of Consumers and Users (Royal Legislative Decree 21/2007) provided that the storage conditions specified in this technical data sheet are met. This technical data sheet specifies the duration of said product guarantee.