

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BROOK'S HIDRAK TRACTOR



Version 1 Date of compilation: 10/03/2026

Version 3 (replaces version 2)

Revision date: 10/07/2026

Page 1 of 10

Print date: 10/07/2026

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: BROOK'S HIDRAK TRACTOR

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Transmission tractor oil.

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: **QUIMIBERICA**
Address: P.I. El Sequero - Avda. de Cameros, Parc. 183
City: 26151 - Arrúbal
Province: La Rioja (ESPAÑA)
Telephone: +34 941 25 66 11
Fax: +34 941 24 15 89
E-mail: quimiberica@quimiberica.es
Web: www.quimiberica.es

1.4 Emergency telephone number: +34 941 25 66 11 (Only available during office hours; Monday-Friday; 09:00-14:00)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

The product is not classified as hazardous within the meaning of Regulation (EC) No 1272/2008.

2.2 Label elements.

Precautionary statements:

P102 Keep out of reach of children.

EUH statements:

EUH208 Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.
EUH208 Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts. May produce an allergic reaction.
EUH208 Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.

2.3 Other hazards.

The mixture does not contain substances classified as PBT.
The mixture does not contain substances classified as vPvB.
The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	Specifics concentration limits and Acute toxicity estimate

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BROOK'S HIDRAK TRACTOR



Version 1 Date of compilation: 10/03/2026

Version 3 (replaces version 2)

Revision date: 10/07/2026

Page 2 of 10

Print date: 10/07/2026

Index No: 649-474-00-6 CAS No: 64742-65-0 EC No: 265-169-7 Registration No: 01-2119471299-27-0016	distillates (petroleum), solvent-dewaxed heavy paraffinic, Baseoil — unspecified, [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity not less than 100 SUS at 100 oF (19cSt at 40 oC).]	10 - 29.99 %	Asp. Tox. 1, H304	-
CAS No: 61789-86-4 EC No: 263-093-9 Registration No: 01-2119488992-18	Sulfonic acids, petroleum, calcium salts	0.1 - 0.99 %	Skin Sens. 1B, H317	-
CAS No: 68584-23-6 EC No: 271-529-4 Registration No: 01-2119492627-25	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	0.1 - 0.99 %	Skin Sens. 1B, H317	-
CAS No: 70024-69-0 EC No: 274-263-7 Registration No: 01-2119492616-28	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	0.1 - 0.99 %	Skin Sens. 1B, H317	-

(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

[2] Substance with a national workplace exposure limit (see section 8.1).

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

Inhalation.

If breathing stops, seek emergency medical attention. Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

Skin contact.

Remove contaminated clothing.

Ingestion.

Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

SECTION 5: FIREFIGHTING MEASURES.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BROOK'S HIDRAK TRACTOR



Version 1 Date of compilation: 10/03/2026

Version 3 (replaces version 2)

Revision date: 10/07/2026

Page 3 of 10

Print date: 10/07/2026

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

The product does not require special handling measures, the following general measures are recommended:

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

The product does not require special storage measures. As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.

Keep away from oxidising agents and from highly acidic or alkaline materials.

Store the containers between 5 and 35 °C, in a dry and well-ventilated place.

Store according to local legislation. Observe indications on the label. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BROOK'S HIDRAK TRACTOR



Version 1 Date of compilation: 10/03/2026

Version 3 (replaces version 2)

Revision date: 10/07/2026

Page 4 of 10

Print date: 10/07/2026

Name	DNEL/DMEL	Type	Value
distillates (petroleum), solvent-dewaxed heavy paraffinic, Baseoil — unspecified, [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity not less than 100 SUS at 100 oF (19cSt at 40 oC).] CAS No: 64742-65-0 EC No: 265-169-7	DNEL (Consumers)	Oral, Chronic, Systemic effects	0,74 (mg/kg bw/día)
	DNEL (Workers)	Dermal, Chronic, Systemic effects	0,97 (mg/kg bw/día)
	DNEL (Consumers)	Inhalation, Chronic, Local effects	1,19 (mg/m3)
	DNEL (Workers)	Inhalation, Chronic, Systemic effects	2,73 (mg/m3)
	DNEL (Workers)	Inhalation, Chronic, Local effects	5,58 (mg/m3)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts CAS No: 70024-69-0 EC No: 274-263-7	DNEL (Workers)	Inhalation, Chronic, Systemic effects	0,66 (mg/m3)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %				
Uses:	Transmission tractor oil				
Breathing protection:					
If the recommended technical measures are observed, no individual protection equipment is necessary.					
Hand protection:					
PPE:	Protective gloves.				
Characteristics:	«CE» marking, category II.				
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420				
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.				
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.				
Material:	PVC (polyvinyl chloride)	Breakthrough time (min.):	> 480	Material thickness (mm): 0,35	
Eye protection:					
PPE:	Protective goggles with built-in frame.				
Characteristics:	«CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.				
CEN standards:	EN 165, EN 166, EN 167, EN 168				
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.				
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.				
Skin protection:					

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BROOK'S HIDRAK TRACTOR



Version 1 Date of compilation: 10/03/2026

Version 3 (replaces version 2)

Revision date: 10/07/2026

Page 5 of 10

Print date: 10/07/2026

PPE:	Protective clothing.
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.
CEN standards:	EN 340
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.
PPE:	Work footwear.
Characteristics:	«CE» marking, category II.
CEN standards:	EN ISO 13287, EN 20347
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: Amber

Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: Not applicable/Not available due to the nature/properties of the product

Freezing point: -36 °C (ASTM D 97)

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: >200 °C (ASTM D 92)

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product

Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: Not applicable (Substance/mixture is non-soluble (in water)).

Kinematic viscosity: 9,3-12,5 mm²/s (100°C) ASTM D 7042

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: Not applicable/Not available due to the nature/properties of the product

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product

Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 0,868 (g/cm³ (15°C) ASTM D 7042)

Relative vapour density: Not applicable/Not available due to the nature/properties of the product

Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BROOK'S HIDRAK TRACTOR



Version 1 Date of compilation: 10/03/2026

Version 3 (replaces version 2)

Revision date: 10/07/2026

Page 6 of 10

Print date: 10/07/2026

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

Toxicological information about the substances present in the composition.

Name	Acute toxicity			
	Type	Test	Kind	Value
distillates (petroleum), solvent-dewaxed heavy paraffinic, Baseoil — unspecified, [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity not less than 100 SUS at 100 oF (19cSt at 40 oC).] CAS No: 64742-65-0 EC No: 265-169-7	Oral	DL DL50	Rat Rabbit	>5 g/kg >5000 mg/kg
	Dermal	DL DL50	Rabbit Rabbit	>5 g/kg >5000 mg/kg
	Inhalation			
Sulfonic acids, petroleum, calcium salts CAS No: 61789-86-4 EC No: 263-093-9	Oral	LD50	Rat (male)	> 16000 mg/kg bw [1] [1] Guideline: other:Section 772 .112-21 CFR 40
	Dermal	LD50	rabbit	> 4000 mg/kg bw [1] [1] Guideline: other:40 CFR, Section 163.81-2, Federal Register, August 22, 1978
	Inhalation			
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts CAS No: 70024-69-0 EC No: 274-263-7	Oral	LD50	Rat (male)	> 16000 mg/kg body weight [1] [1] Guideline: other:Section 772 .112-21 CFR 40
	Dermal	LD50	Rabbit	> 4000 mg/kg body weight [1] [1] Guideline: other:40 CFR, Section 163.81-2, Federal Register, August 22, 1978
	Inhalation	LC50	Rat	> 1.9 mg/l (4h) [1] [1] Guideline: EPA OPP 81-3 (Acute inhalation toxicity)

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BROOK'S HIDRAK TRACTOR



Version 1 Date of compilation: 10/03/2026

Version 3 (replaces version 2)

Revision date: 10/07/2026

Page 7 of 10

Print date: 10/07/2026

g) reproductive toxicity;
Not conclusive data for classification.

h) STOT-single exposure;
Not conclusive data for classification.

i) STOT-repeated exposure;
Not conclusive data for classification.

j) aspiration hazard;
Based on available data, the classification criteria are not met.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Name	Ecotoxicity			
	Type	Test	Kind	Value
Sulfonic acids, petroleum, calcium salts CAS No: 61789-86-4 EC No: 263-093-9	Fish			
	Aquatic invertebrates	EC50	Daphnia magna	>1000 mg/l [1]
		[1] Test organisms (species)		
	Aquatic plants	EC50 EC50	Pseudokirchneriell a subcapitata Pseudokirchneriell a subcapitata	> 1000 mg/l (72h) [1] > 1000 mg/l (96h) [2]
[1] Test organisms (species): previous names: Raphidocelis subcapitata, Selenastrum capricornutum [2] Test organisms (species): previous names: Raphidocelis subcapitata, Selenastrum capricornutum				
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts CAS No: 68584-23-6 EC No: 271-529-4	Fish			
	Aquatic invertebrates			
	Aquatic plants	EC50 EC50	Pseudokirchneriell a subcapitata Pseudokirchneriell a subcapitata	> 1000 mg/l (72h) [1] > 1000 mg/l (96h) [2]
		[1] Test organisms (species): previous names: Raphidocelis subcapitata, Selenastrum capricornutum [2] Test organisms (species): previous names: Raphidocelis subcapitata, Selenastrum capricornutum		
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	Fish			
	Aquatic invertebrates	EC50	Daphnia magna	> 1000 mg/l [1]
	Aquatic plants	EC50 EC50	Pseudokirchneriell a subcapitata Pseudokirchneriell a subcapitata	> 1000 mg/l (72h) [1] > 1000 mg/l (96h) [2]

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BROOK'S HIDRAK TRACTOR



Version 1 Date of compilation: 10/03/2026

Version 3 (replaces version 2)

Revision date: 10/07/2026

Page 8 of 10

Print date: 10/07/2026

CAS No: 70024-69-0 EC No: 274-263-7	[1] (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) [2] (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
--	--

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

The product is not affected by the Regulation (EU) 2024/590 of the European Parliament and of the Council of 7 February 2024 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Comply with the provisions of Directive 2008/98/EC on waste management and subsequent amendments.

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

14.1 UN number or ID number.

Transportation is not dangerous.

14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport.

IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

14.6 Special precautions for user.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BROOK'S HIDRAK TRACTOR



Version 1 Date of compilation: 10/03/2026

Version 3 (replaces version 2)

Revision date: 10/07/2026

Page 9 of 10

Print date: 10/07/2026

Transportation is not dangerous.

14.7 Maritime transport in bulk according to IMO instruments.

Not classified as hazardous for transport.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): WGK 1: Slightly hazardous to water. (Autoclassified according to the AwSV Regulations)

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.

Classification codes:

Asp. Tox. 1: Aspiration toxicity, Category 1
Skin Sens. 1B: Skin sensitiser, Category 1B

Changes regarding to the previous version:

- Modification in the values of the physical and chemical properties (SECTION 9).
- Addition of ecotoxicity values (SECTION 11.1).
- Addition of ecological information values (SECTION 12.1).
- Addition of abbreviations and acronyms (SECTION 16).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is recommended that the product only be employed for the purposes advised.

Abbreviations and acronyms used:

AwSV: Facility Regulations for handling substances that are hazardous for the water.
CEN: European Committee for Standardization.
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
EC50: Half maximal effective concentration.
PPE: Personal protection equipment.
LC50: Lethal concentration, 50%.
LD50: Lethal dose, 50%.
WGK: Water hazard classes.

Key literature references and sources for data:
<http://eur-lex.europa.eu/homepage.html>

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BROOK'S HIDRAK TRACTOR



Version 1 Date of compilation: 10/03/2026

Version 3 (replaces version 2)

Revision date: 10/07/2026

Page 10 of 10

Print date: 10/07/2026

<http://echa.europa.eu/>
Regulation (EU) 2020/878.
Regulation (EC) No 1907/2006.
Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

This safety data sheet version has been modified due to a correction of product data compared to the previous version.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.