

QUIMIBERICA, S.A.

DEIONIZED WATER



TECHNICAL INFORMATION

DESCRIPTION AND APPLICATION

DEIONIZED WATER is obtained through a **REVERSE OSMOSIS** process in which organic matter, chlorine, salts and ionic contaminants are eliminated. It can be used in car batteries, sealed circuits, electrolytic bath installations, irons and steam installations, radiators of combustion engines...

PROPERTIES

- Prevents the formation of salts.
- Prevents the formation of scale.

HOW TO USE

- **For car batteries**

Fill the level of each element up to 1 cm above the plates. It is advisable to check the water level of the battery periodically. Once a month in winter and every week or two weeks in summer.

- **Steam irons**

Fill the tank as needed.

STORAGE CONDITIONS AND EXPIRATION

Store containers with the product in the darkest and coolest place possible. As general storage conditions, heat sources, radiation, electricity and contact with food should be avoided.
Best before date: 2-3 months.



PACKAGING

1 L
5 L
20 L
200 L
1000 L

Edition 8 Date:17/12/2020

Page. 1

This information is given as a guide and does not imply contractual liability. The technical data are average values and are subject to the usual fluctuations in production, and do not constitute a product specification. Before using the product, it is recommended to read the information contained on the packaging. Quimiberica S.A. products are covered by a legal guarantee (Guarantee Law) against lack of conformity under the provisions of the General Law for the Defence of Consumers and Users (Royal Legislative Decree 21/2007) provided that the storage conditions specified in this technical data sheet are met. This technical data sheet specifies the duration of said product guarantee.